

Central Asian Journal of Medicine

elSSN: 2181-1326



Tashkent Medical Academy Press

Scientific Journal

This journal had been publishing since 2018

allahlhh



MINISTRY OF HIGHER AND SECONDARY SPECIALIZED EDUCATION OF THE REPUBLIC OF UZBEKISTAN





Supreme Attestation Commission at the Cabinet Ministers of the Republic of Uzbekistan



Ministry of Health of the Republic of Uzbekistan Tashkent Medical Academy



Central Asian Journal of Medicine

Nº 3 / 2024

Tashkent

Central Asian Journal of Medicine



Nº3/2024

EDITORIAL BOARD

Editor-in-Chief

Alisher K. Shadmanov, DSc, M.D., Tashkent Medical Academy

Deputy Chief Editor

Oktyabr R. Teshaev, DSc, M.D., Tashkent Medical Academy

Executive Editor

Feruza Khidoyatova, DSc, M.D., Tashkent Medical Academy

Editorial Team

Anis L. Alyavi, Academician, DSc, M.D., The Republican Specialized Scientific and Practical Medical Center for Therapy and Medical Rehabilitation, Uzbekistan

Feruz G. Nazirov, Academician, DSc, M.D., The Republican Specialized Center of Surgery named after Academician V.Vakhidov, Uzbekistan

Ravshan D. Kurbanov, Academician, DSc, M.D., The Republican Specialized Cardiology Center, Uzbekistan

Shavkat I. Karimov, Academician, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Laziz N. Tuychiev, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Abdugaffar G. Gadaev, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Dilbar K. Najmutdinova, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Jae Wook Choi, DSc, M.D., Korea University, South Korea

Farkhad O. Akilov, DSc, M.D., Republican Specialized Center of Urology, Uzbekistan

Bakhtiyor U. Iriskulov, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Nargiza N. Parpieva, DSc, M.D., Republican Specialized Scientific and Practical Medical Center Of Tuberculosis And Pulmonology, Uzbekistan

Rikhsi A. Sabirova, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Feruza L. Azizova, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Barno T. Kholmatova, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Raisa I. Shalina, DSc, M.D., Department of Obstetrics and Gynecology, Pediatric Faculty, Russian National Research Medical University named after N.I. Pirogov, Russian Federation

Antanas Vaitkus, DSc, M.D., Hospital of Lithuanian University of Health Sciences Kaunas Clinics Academy of Medicine, Lithuania **Briko I. Nikolay**, DSc, M.D., Honored Scientist of the Russian Federation, Academician of the Russian Academy of Sciences, Professor, Chief Epidemiologist of the Ministry of Health of the Russian Federation, Head of the Department of Epidemiology and Evidence-Based Medicine, Sechenov University, Russian Federation

Deniz Gokalp, Head of obstetrics-gynecology, reproductology, Istinye University, Turkey Natalya Mitkovskaya, Head of Cardiology and Internal Medicine, Belarusian State Medical University, Belarusia

Utkus Algirdas, Head of Human and Medical Genetics, Vilniaus University, Lithua

Jin-San Zhang, Professor, Pharmaceutical Sciences, Wenzhou Medical University, China

Andreas Unterberg, Professor, Neurosurgery, Universitty of Heidelberg, Germany

Maya Dgebuadze, Professor, Normal human anatomy, Tbilian republican medical university, Georgia

Yulia Stepanova, Professor, Surgery and Surgical Technologies, Moscow State University of Medicine and Dentistry named after A.I. Evdokimov, Russia

Jose Maria Peinado Herroros, Professor, Biochemistry and Molecular Biology III and Immunology, Granada University, Spain

Haris Khwaja, Professor, Clinical Lead & Consultant Bariatric Surgeon, Chelsea and Westminster Hospital, England

Daniel Truong, Professor, Neurology, UC Riverside, USA

Tomas Xolzenbayn, Professor, Surgery, Medical University of Salzburg, Austria

Ahsan Nazeer, Assistant professor, Child and adolescent psychiatry, Michigan State University College of Human Medicine, USA

Mustafa Taskin, Professor, Surgery, Istanbul University, Turkey

Galina V. Yarovenko, DSc, M.D., Professor of Surgery Department, Samara State Medical University, Russian Federation

Alisher O. Okhunov, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Nargiza M. Nurillaeva, DSc, M.D., Tashkent Medical Academy, Uzbekistan

Assistant Editor

Abror Musakhonov, Tashkent Medical Academy, Uzbekistan Jakhongir Khamdamov, Tashkent Medical Academy, Uzbekistan

Journal edited and printed in the computer of Tashkent Medical Academy editorial department Editorial board of Tashkent Medical Academy Head of the department: M.N. Aslonov English language editor: A.Kh. Juraev Designer corrector: S.R. Sultonova Organizer: Tashkent Medical Academy



Central Asian Journal of Medicine

THE INFLUENCE OF MEDICAL UNDERSTANDING AND PARENTAL VIEWS ON VACCINATIONS REGARDING CHILDREN'S IMMUNIZATION RATES

Bakhromjon M. Mamatqulov¹, Gulkhayokhon K.Tolipova²

<u>1</u> DSc., professor, Director of School of public health, Tashkent Medical Academy, Tashkent, Uzbekistan E-mail: tma.sph@gmail.com

<u>2</u> PhD student of school of public health, Tashkent Medical Academy, Tashkent, Uzbekistan E-mail: gulhayotolipova4989@gmail.com

ABSTRACT

The role of infectious diseases is growing increasingly significant among the primary threats to children's health, particularly in low- and middle-income countries. Even with advancements in addressing these diseases, child morbidity and mortality remain critical challenges within the healthcare system. Although official statistics indicate a high vaccination rate for children based on the national vaccination calendar, surveys from foreign countries reveal discrepancies between reported vaccination percentages and actual coverage. This highlights the need to obtain an accurate understanding of vaccination rates in our own country.

Key words: Immunization, vaccination, vaccine, national immunization calendar.

INTRODUCTION

Based on a review of the literature regarding vaccination contraindications, it appears that many healthcare professionals tend to overestimate or misjudge these contraindications [1]. This leads to lower vaccination rates for children and may result in delayed vaccinations. Additionally, parents' perspectives on vaccination vary based on the socio-economic and medical-hygienic conditions in their community. To successfully organize vaccination efforts, it is crucial to examine the justification for contraindications and understand parents' attitudes towards vaccinations [6]. A key goal of the world's most advanced healthcare systems is to immunize children to enhance public health and ensure better health outcomes for their populations. In a study of 74 countries, the average percentage of children who were unvaccinated was 12.9%, while in Europe and Central Asia, this rate was significantly lower at 5.2%. When examining unvaccinated children globally, those living in urban areas had a percentage of 9.4%, compared to 15.1% in rural regions; in Europe and Central Asia, the figures were 4% and 7.7%, respectively. The analysis of the impact of financial status on vaccination rates revealed that the percentages of unvaccinated children among poorer and richer populations were 22.6% and 4.9% worldwide, and 8.1% and 4.5% in Europe and Central Asia. Additionally, maternal education played a role: among mothers of unvaccinated children, a larger proportion had only primary education [5].

When compared to other regions globally, vaccination rates in Central Asia are relatively high. However, between 2019 and 2021, there was a decline in vaccination coverage due to the pandemic, resulting in a rise in the number of children who were unvaccinated or under-vaccinated [4]. Parental decisions regarding vaccinations are shaped by personal beliefs, preferences, and the prevailing health values within society, reflecting trust in medical guidance [3]. Parents who sought advice from pediatricians showed less reluctance than those who consulted general practitioners. Raising awareness and building confidence in vaccinations have proven effective strategies for fostering public trust and increasing knowledge, especially in low- and middle-income areas, directly addressing the concerns of those hesitant about getting vaccinated [2].

Research materials and methods.

Interview. A survey was carried out with parents to explore their views on child vaccination. This study utilizes the standard methodology of the National Immunization Survey (NIS) conducted by the Centers for Disease Control and Prevention (CDC).

The questionnaire consists of 34 questions, including general information about parents and children, education of parents and their attitude to immunization, as well as specific questions about the organizational aspects of vaccination. The study involved 800 parents who applied to family clinics in Tashkent. 468 of them (control group) received all vaccines. The children of the remaining 336 mothers did not receive all the vaccines provided for in the national vaccination calendar (patient group).

Data analysis. The method of case-control research. Extensive indicators and their errors were calculated to analyze the data obtained. The indicators in the main and control groups were compared using the odds ratio. The Student's criterion

(p<0.05) was used to assess the difference between the indicators. A correlation between the indicators was also established.

Results of the research and discussion: In the course of our study, the knowledge of parents and their attitude to vaccination were analyzed. According to the results, $87.1\pm3.8\%$ of parents of unvaccinated children consider infectious diseases dangerous to the life and health of the child. For parents of vaccinated children, this figure was $51.2\pm4.8\%$.

When asked if they had information about possible post-vaccination side effects and complications, parents in the main and control groups answered $89.9\pm3.4\%$ and 94%, respectively. From this, it can be concluded that parents' awareness of possible conditions, side effects and complications after vaccination has virtually no effect on vaccination coverage (Table 1).

Table 1

Factors	Gradation of factors	Vaccinated %, m	Those who have not been fully vaccinated %, m
Why are children vaccinated?	Prevention of infectious diseases in children	94,9±2,0	92,9±2,8
	This is necessary for doctors to complete the vaccination schedule	1,7±1,2	0,0±0,0
	I don't know	$1,7\pm1,2$	7,1±2,8
	Yes	50,4±4,6	86,9±3,7
Are infectious diseases dangerous	No	$0,9\pm0,9$	0
for life and health?	I do not have specific information	48,7±4,6	13,1±3,7
Are you aware of possible	Yes	94,9±2,0	89,3±3,4
conditions, side effects and	No	$0,9\pm0,9$	2,4±1,7
complications after vaccination?	I do not know enough	4,3±1,9	8,3±3,0
Do you want to learn more about	Yes	94,0±2,2	91,7±3,0
immunization?	No	$6,0\pm 2,2$	8,3±3,0
Do you consider it necessary to	Yes	98,3±1,2	92,9±2,8
cover the prevention of infectious diseases in the media more actively and positively?	No	1,7±1,2	7,1±2,8
Did you know that vaccinations are	Yes	98,3±1,2	94,0±2,6
free of charge?	No	$1,7{\pm}1,2$	6,0±2,6
Do you know about the national	Yes	97,4±1,5	91,7±3,0
vaccination calendar of Uzbekistan?	No	2,6±1,5	8,3±3,0
Do you know about preventive	Yes	94,9±2,0	91,7±3,0
vaccination in accordance with	No	$2,6{\pm}1,5$	3,6±2,0
epidemiological instructions?	I do not know enough	$2,6{\pm}1,5$	4,8±2,3

Mothers' medical knowledge of immunization

journals.tma.uz

In examining the factors contributing to the delay in vaccination at this age, it was found that contraindications to vaccination were 3.5 times more prevalent in the main group ($66.7\pm14.2\%$) compared to the control group ($19.2\pm4.0\%$) (p<0.01). When parents from both groups were asked about their reasons for vaccinating their child at the regional vaccination facility, the predominant responses highlighted two key points: the vaccinations offered at the state institution are free and parents have a strong trust in the expertise and experience of the professionals there (Table 2).

Table 2

Factors	Gradation of factors	Vaccinated %, m	Those who have not received full vaccinations %, m
What do you think about	positive	97,4±1,5	88,1±3,5
preventive vaccination?	negative	2,6±1,5	11,9±3,5
If it is negative, why?	Complications remain after vaccination	66,7±27,2	63,1±5,3
	I don't trust doctors and nurses	0,0±0,0	2,4±1,7
	I doubt the quality of vaccines	0,9±0,9	21,4±4,5
	Vaccines are not stored well	$0,0\pm0,0$	1,2±1,2
When will your child receive vaccines?	Depending on the age according to the national vaccination calendar	51,3±4,6	85,7±3,8
	According to the individual plan	48,7±4,6	14,3±3,8
	With my own desire	79,8±4,0	33,3±14,2
What is the reason for delaying the vaccination that should be given to your child by this age?	There was a contraindication for vaccination	19,2±4,0	66,7±14,2
	Our patronage nurse did not warn about the time of vaccination	1,0±1,0	0,0±0,0
Where does your child usually get vaccines?	In the regional family polyclinic	37,6±4,5	90,5±3,2
	In private vaccination centers	62,4±4,5	9,5±3,2
Why do you prefer to get your child vaccinated in a local institution?	Because it is free	90,9±4,3	86,8±3,9
	Doctors are highly qualified	9,1±0,0	13,2±0,0
When your child had a pre-	Yes	99,1±0,9	90,5±3,2
vaccination check-up, did the doctor warn you about possible post-vaccination complications?	No	0,9±0,9	9,5±3,2
Has the vaccination room nurse	Yes	99,1±0,9	89,3±3,4
warned you about possible side effects after vaccination	No	0,9±0,9	10,7±3,4

Mother's attitude to vaccination

Conclusion: 1. The vaccination rates for children increase with the mother's age and the number of children she has. Mothers aged 32 and above tend to vaccinate their children more.

2. Children cared for by parents or nannies have lower immunization rates compared to those who go to public preschool. Parents who look after their children at home often tend to be overly protective, fearing that even vaccines could harm their children's health.

REFERENCES

1. Allison MA, Reyes M, Young P, Calame L, Sheng X, Weng H-YC, et al. Parental attitudes about influenza immunization and school-based immunization for school-aged children. Pediatr Infect Dis J. 2010;29:751–5.

2. Comparison of 20th Century Annual Morbidity and Current Morbidity: Vaccine-Preventable Diseases CDC [cited 2017 Oct 29]. Available from: https://www.cdc.gov/vaccines/ed/ surv/downloads/VPD-morbidity-slide1-mmwr-508.pdf.

3. Jarrett C, Wilson R, O'Leary M, Eckersberger E, Larson HJ, SAGE Working Group on Vaccine Hesitancy . Strategies for addressing vaccine hesitancy - A systematic review. Vaccine. 2015;33(34):4180–90. Epub 2015 Apr 18. PMID: 25896377. doi: 10.1016/j.vaccine.2015.04.040.

4. Kitarova G.S., Mamyrbaeva T.T., Suwanbekov A., Shukurova V.K. Vaccination of children in the Kyrgyz Republic. Pediatric pharmacology. 2018; 15 (1): 101–106. doi: 10.15690/pf.v15i1.1850)

5. State of inequality: childhood immunization. Geneva: World Health Organization; 2016 http://apps.who.int/iris/bitstre am/10665/252541/1/9789241511735-eng.pdf.

6. Soveri A, Karlsson LC, Mäki O, Antfolk J, Waris O, Karlsson H, Karlsson L, Lindfelt M, Lewandowsky S. Trait reactance and trust in doctors as predictors of vaccination behavior, vaccine attitudes, and use of complementary and alternative medicine in parents of young children. PLoS One. 2020;15(7):e0236527. **PMCID**: PMC7384640. PMID: 32716918; doi: 10.1371/journal.pone.0236527.

7. Victora Cesar and Aluísio Barros, 'Within-country Inequalities in Zerodose Prevalence: Background paper for The State of the World's Children 2023', International Center for Equity in Health at the Federal University of Pelotas, Brazil, December 2022.

THE INFLUENCE OF MEDICAL UNDERSTANDING AND PARENTAL VIEWS ON VACCINATIONS REGARDING CHILDREN'S IMMUNIZATION RATES Bakhromjon M. Mamatqulov, Gulkhayokhon K.Tolipova
THE STUDY OF HOSPITALIZATION CASES IN OSTEOCHONDROSIS OF THE SPINE: KEY ASPECTS AND CHARACTERISTICS OF THE DISEASE Bakhromjon M. Mamatqulov, Dilorom A. Umurzakova
CHARACTERISTICS, EPIDEMIOLOGY AND MODERN METHODS OF INVESTIGATION OF KLEBSIELLA PNEUMONIAE Fotima Sh. Mamatmusaeva, Madina A. Mominova, Behzod A. Avazxonov, Gulzoda E. Halilova, Mamura F. Amatova
CHANGES IN THE BLOOD COAGULATION SYSTEM IN DESTRUCTIVE TUBERCULOSIS Mirzobek U. Abdukarimov, Isomiddin Kh. Usmonov
MICROSCOPIC AND BIOCHEMICAL BILE STRUCTURE IN ACUTE VIRAL HEPATITIS «C» CONVALESCENT CHILDREN Fotima Sh. Mamatmusaeva, Akbar R. Reyimbayev, Farzona A. G'ulomova, Nargiza U. Temirova
MICROBIOLOGICAL AND ANTIBACTERIAL CHARACTERISTICS OF UROSEPTIC COLLECTION FROM MEDICINAL PLANT Zamira R. Fayzullayeva, Zuhra A. Nuruzova, Gulshoda A. Xalimjonova, Ruskhsora O.Boymamadova, Raykhona K. Alisherova
OUTCOMES OF BALLOON MITRAL VALVULOPLASTY IN PREGNANT WOMEN: A SINGLE-CENTER EXPERIENCE Mirjamol M. Zufarov, Vadim M. Im, Sanjar K. Khamdamov, Mohima A. Abdullayeva
INTESTINAL DISEASES IN PREGNANT WOMEN WITH COVID - 19 Zamira R. Fayzullayeva, Nasiba H. Kasimova, Gulomjon M. Turdibekov, Sevinch R. Kuchkarova
THE IMPORTANCE OF THE RESISTANCE INDEX IN PREDICTING THE DEVELOPMENT OF CHRONIC KIDNEY DISEASE Shakhlo A. Orzikulova